

The future in flooring is here...

MAXIFLOOR



MaxiFloor is an Autoclaved Aerated Concrete (AAC) flooring product that provides excellent structural, thermal, and fire resistant properties.

MaxiFloor is designed to provide a superior flooring solution by utilising its strength and acoustic properties. The result is a quiet floor without the squeaks, bounce and flex of a conventional particleboard floor.

BigRiver

Building Australia for over 100 years

MAXIFLOOR



QUICK & EASY INSTALLATION

MaxiFloor is fast and easy to install. It is installed just like conventional particleboard flooring by on-site tradespeople. MaxiFloor is not affected by harsh weather conditions during construction eliminating costly delays.



SOLID, STRONG & LIGHTWEIGHT

MaxiFloor weighs much less than standard concrete slab floors making it lightweight and easy to work with whilst providing a solid and substantial feel under foot. Each panel has corrosion protected internal steel reinforcing mesh that provides strength and durability.

Steel reinforcing inside each panel



FIRE RESISTANT & SAFE

MaxiFloor is manufactured from non-combustible Autoclaved Aerated Concrete and provides a high level of fire resistance. MaxiFloor 75mm panels can achieve Fire Resistance Levels (FRLs) of up to 240 minutes.

MaxiFloor also achieves the highest Bushfire Attack Rating (BAL-FZ) making it suitable for fire-rated applications in bushfire prone areas.

MaxiFloor does not contain any toxic substances or odours, and will not harbour or encourage vermin.



QUIET, COMFORTABLE & EFFICIENT

MaxiFloor Autoclaved Aerated Concrete panels provide superior acoustic performance by significantly reducing sound transmission between floors and giving your floor a solid feel similar to that of conventional masonry.

MaxiFloor also provides superior thermal insulation properties compared to conventional masonry products and is therefore a smarter choice for lower heating and cooling energy consumption.



COMPLIANT & BACKED BY BIG RIVER

MaxiFloor is fully compliant with current Australian Standards.

MaxiFloor is exclusively available and supported in Australia through the established national sales, service and distribution network of the Big River Group.




MaxiFloor Panel Sizes

All panels:


- 1800mm x 600mm x 75mm
- 2200mm x 600mm x 50mm




MaxiFloor 75mm AAC Panel With Carpet




MaxiFloor 75mm AAC Panel With Timber Floor



MaxiFloor 75mm AAC Panel With Tiles



MaxiFloor 75mm AAC Panel With Tiles On Cement Mortar Topping





Contact Us

For all sales and technical enquiries please contact the experts at Big River:

Phone: 1300 881 958

Email: info@bigrivergroup.com.au

For all technical enquiries please contact:

Phone TECHSERV: 02 9630 5288

For your nearest Big River branch or to download information:

Visit: www.bigrivergroup.com.au

Big River

Building Australia for over 100 years

Big River Group Pty Ltd
ABN 72 000 009 754
May 2018

MAXIFLOOR